

Research (Long List) of Health Problems Related to Nitrates

- Abu Naser AA, Ghbn N, Khoudary R. (2007) Relation of nitrate contamination of groundwater with methaemoglobin level among infants in Gasa East Mediterr Health J. 12(5) pp. 994-1004. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/18290391>
- Agency for Toxic Substances and Disease Registry. (2001). Case Studies in Environmental Medicine Nitrate/Nitrite Toxicity. *Department of Health & Human Services*. Atlanta, GA. Retrieved from http://www.atsdr.cdc.gov/csem/nitrate/docs/nitrate_nitrite.pdf
- Arbuckle, T.E., Sherman, G.J., Corey, P.N., Walters, D. & Lo, B. (1988) Water nitrates and CNS birth defects: a population-based case-control study. *Arch.Environ.Health* 43(2) pp. 162-167. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/3377550>
- Avery A.A. (1999) Infantile methemoglobinemia: reexamining the role of drinking water nitrates. *Environmental Health Perspectives* 107(7) pp. 583–6. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1566680/pdf/envhper00512-0111.pdf>
- Balazs, C., Morello-Frosch, R., Hubbard, A., & Ray, I. (2011). Social disparities in nitrate-contaminated drinking water in California's San Joaquin Valley. *Environmental Health Perspectives*, 119(9), 1272. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3230390/>
- Barrett, J. H., Parslow, R. C., McKinney, P. A., Law, G. R., & Forman, D. (1998). Nitrate in drinking water and the incidence of gastric, esophageal, and brain cancer in Yorkshire, England. *Cancer Causes and Control*, 9(2), 153-159. Retrieved from https://www.researchgate.net/profile/Graham_Law/publication/226280359_Nitrate_in_drinking_water_and_the_incidence_of_gastric_esophageal_and_brain_cancer_in_Yorkshire_England/links/54368e0d0cf2dc341db35c4f.pdf
- Benini, D., Vino, L., & Fanos, V. (1998) Acquired methemoglobinemia: a case report. *Pediatr Med Chir* 20(6) pp. 411-413. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10335542>
- Berlin G., Brodin B., Hilden J. (1985) Acute dapsone intoxication: a case treated with continuous infusion of methylene blue, forced diuresis, and plasma exchange. *J Toxicol Clin Toxicol* 22 pp. 537–48. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/6535846>
- Brender, J.D., Olive, J.M., Felkner, M., Suarez, L., Marckwardt, W., & Hendricks, K.A. (2004) Dietary nitrites and nitrates, nitrosatable drugs, and neural tube defects. *Epidemiology* 15(3) pp. 330-336. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15097014>

Brender, J., Olive, J., Felkner, M., Suarez, L., Hendricks, K., & Marckwardt, W. (2004). Intake of nitrates and nitrites and birth defects in offspring. *Epidemiology*, 15(4), S184. Retrieved from http://journals.lww.com/epidem/Citation/2004/07000/Intake_of_Nitrates_and_Nitrites_and_Birth_Defects.487.aspx

Bukowski, J., Somers, G., & Bryanton, J. (2001) Agricultural contamination of groundwater as a possible risk factor for growth restriction or prematurity. *J.Occup.Environ.Med.* 43(4) pp. 377-383. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11322099>

Bunin, G.R., Kuijten, R.R., Boesel, C.P., Buckley, J.D. & Meadows, A.T. (1993) Relation between maternal diet and subsequent primitive neuroectodermal brain tumors in young children. *New England Journal of Medicine* 19;329(8) pp. 536-541. <http://www.ncbi.nlm.nih.gov/pubmed/8167265>

Burkholder, J., Libra, B., Weyer, P., Heathcote, S., Kolpin, D., Thorne, P. S., & Wichman, M. (2007). Impacts of waste from concentrated animal feeding operations on water quality. *Environmental health perspectives*, 115(2), 308. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1817674/>

Cantor, K. P. (1997). Drinking water and cancer. *Cancer Causes & Control*, 8(3), 292-308. Retrieved from https://www.researchgate.net/profile/Kenneth_Cantor/publication/51297605_Drinking_water_and_cancer/links/548719ca0cf268d28f070c4f/Drinking-water-and-cancer.pdf

Cedergren, M.I., Selbing, A.J., Lofman, O., & Kallen, B.A. (2002) Chlorination byproducts and nitrate in drinking water and risk for congenital cardiac defects. *Environmental Research* 89(2) pp. 124-130. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12123645>

Center for Disease Control (1993) Methemoglobinemia in an infant - - Wisconsin, 1992 *Morbidity & Mortality Weekly* <http://www.ncbi.nlm.nih.gov/pubmed/8450825>

Centers for Disease Control and Prevention. (1995) A survey of the quality of water drawn from domestic wells in nine Midwest states. *US Department of Health and Human Services*. Retrieved from <http://www.cdc.gov/nceh/hsb/disaster/pdfs/A%20Survey%20of%20the%20Quality%20of%20Water%20Drawn%20from%20Domestic%20Wells%20in%20Nine%20Midwest%20States.pdf>

Center for Disease Control (1996) Spontaneous abortions possibly related to ingestion of nitrate-contaminated well water-LaGrange County, Indiana, 1991–1994. *MMWR* 45 pp. 569–72. Retrieved from <http://www.cdc.gov/mmwr/preview/mmwrhtml/00042839.htm>

Center for Disease Control (1997) Methemoglobinemia Attributable to Nitrite Contamination of Potable Water Through Boiler Fluid Additives - New Jersey, 1992-1996. Morbidity and Mortality Weekly Report March 7, 1997. Retrieved from <http://www.cdc.gov/mmwr/preview/mmwrhtml/00046656.htm>

Chan, T.Y. (1996) Food-borne nitrates and nitrites as a cause of methemoglobinemia. *Southeast Asian J Trop Med Public Health* 27(1) Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9031426>

Chiu, H. F., Tsai, S. S., & Yang, C. Y. (2007). Nitrate in drinking water and risk of death from bladder cancer: an ecological case-control study in Taiwan. *Journal of toxicology and environmental Health, Part A*, 70(12), 1000-1004. Retrieved from <https://www.tandfonline.com/doi/abs/10.1080/15287390601171801>

Comly HH. Landmark article Sept 8, 1945: cyanosis in infants caused by nitrates in well-water. *JAMA*. 1987;257:2788–2792. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/3553637> or <http://jama.jamanetwork.com/article.aspx?articleid=366259>

Coss, A., Cantor, K. P., Reif, J. S., Lynch, C. F., & Ward, M. H. (2004). Pancreatic cancer and drinking water and dietary sources of nitrate and nitrite. *American Journal of Epidemiology*, 159(7), 693-701. Retrieved from <https://academic.oup.com/aje/article/159/7/693/71809>

Craun, G.F., Greathouse, D.G. & Gunderson, D.H. (1981) Methaemoglobin levels in young children consuming high nitrate well water in the United States. *Int.J.Epidemiol.* 10(4) pp. 309-317. Retrieved from <http://ije.oxfordjournals.org/content/10/4/309.abstract>

Croen, L.A., Todoroff K., Shaw G.M. (2001) Maternal exposure to nitrate from drinking water and diet and risk of neural tube defects. *Am J Epidemiol* 153 pp.325–31. Retrieved from <http://aje.oxfordjournals.org/content/153/4/325.full.pdf>

Crutchfield, S., Cooper, J., & Hellerstein, D. (2016). The Benefits of Safer Drinking Water: The Value of Nitrate Reduction. Retrieved from https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2736657

Dean B.S., Lopez G., Krenzelok E.P. (1992) Environmentally-induced methemoglobinemia in an infant. *Toxicol Clin Toxicol* 30(1) pp. 127-133 Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1542142>

De Roos, A. J., Ward, M. H., Lynch, C. F., & Cantor, K. P. (2003). Nitrate in public water supplies and the risk of colon and rectum cancers. *Epidemiology*, 14(6), 640-649. Retrieved from http://journals.lww.com/epidem/Abstract/2003/11000/Nitrate_in_Public_Water_Supplies_and_the_Risk_of.4.aspx

Donahoe, W. E. (1949). Cyanosis in infants with nitrates in drinking water as cause. *Pediatrics*, 3(3), 308-311. Retrieved from <http://pediatrics.aappublications.org/content/pediatrics/3/3/308.full.pdf>

Dorsch, M.M., Scragg, R.K., McMichael, A.J., Baghurst, P.A. & Dyer, K.F. (1984) Congenital malformations and maternal drinking water supply in rural South Australia: a case-control study. *Am.J.Epidemiol.* 119(4) pp. 473-486. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/6711537>

Durosev, D. (1979) Toxic methemoglobinemia in newborns and infants. *Bilt Hematol Transfuz* <http://www.ncbi.nlm.nih.gov/pubmed/552247>

Dusdieker L.B., Getchell J.P., Liarakos T.M., Hausler W.J., Dungy C.I. (1994) Nitrate in baby foods: adding to the nitrate mosaic. *Arch Pediatric Adolesc Med* 148 pp. 490–94. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8180640>

Dusdieker L.B., Dungy C.I. (1996) Nitrates and babies: A dangerous combination. *Contemp Pediatr* 13(11) pp. 91–102.

Eichholzer M., Gutzwiller F. (1998) Dietary nitrates, nitrites, and N-nitroso compounds and cancer risk: a review of the epidemiologic evidence. *Nutr Rev* 56 pp.95–105. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1753-4887.1998.tb01721.x/abstract>

Environmental Protection Agency (2010) Yakima Valley Groundwater Contamination: Summary of EPA Sampling Activities. Retrieved from [http://yosemite.epa.gov/r10/water.nsf/bb9c63e62d1ae1f8882564f4007da918/1ea7e8c810acb757882576470077b0e3/\\$FILE/Yakima%20Valley%20EPA%20Sampling%20Summary%20June%2022%202010.pdf](http://yosemite.epa.gov/r10/water.nsf/bb9c63e62d1ae1f8882564f4007da918/1ea7e8c810acb757882576470077b0e3/$FILE/Yakima%20Valley%20EPA%20Sampling%20Summary%20June%2022%202010.pdf)

Environmental Working Group. (n.d.) *Pouring it on: the health effects of Nitrate Exposure*. Retrieved from <http://www.ewg.org/node/7712>

Eubank, W., Carpenter, J. D., Maltzberger, B. A., & Mancl, K. (1998). Nitrate in drinking water. Retrieved from <https://mospace.umsystem.edu/xmlui/bitstream/handle/10355/52688/wq0103-1998.pdf?sequence=1>

Fan A.M, Steinberg V.E. (1996) Health implications of nitrate and nitrite in drinking water: An update on methemoglobinemia occurrence and reproductive and development toxicity. *Regul*

Toxicol Pharmacol 23(11) pp. 35–43. Retrieved from
<http://www.ncbi.nlm.nih.gov/pubmed/8628918>

Felsot A.S. (1998) Re-examining the link between nitrates and “blue baby” syndrome: a necessary first step for managing ground water quality to protect public health. *Agric Environ News*. 150 pp. 1–14. Retrieved from
<http://aenews.wsu.edu/Oct98AENews/aenewssoctober98.htm#anchor545063>

Fewtrell, L (2004) Drinking-Water Nitrate, Methemoglobinemia, and Global Burden of Disease *Environmental Health Perspectives* 112:1371-1374. Doi:10.1289/ehp.7216
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1247562/pdf/ehp0112-001371.pdf>

Freedman, D. M., Cantor, K. P., Ward, M. H., & Helzlsouer, K. J. (2000). A case-control study of nitrate in drinking water and non-Hodgkin's lymphoma in Minnesota. *Archives of Environmental Health: An International Journal*, 55(5), 326-329. Retrieved from
<https://www.tandfonline.com/doi/abs/10.1080/00039890009604024>

Gatseva, P. D., & Argirova, M. D. (2008). High-nitrate levels in drinking water may be a risk factor for thyroid dysfunction in children and pregnant women living in rural Bulgarian areas. *International journal of hygiene and environmental health*, 211(5-6), 555-559. Retrieved from
<https://www.sciencedirect.com/science/article/pii/S1438463907001812>

Gebara B., Goetting M.M. (1994) Life-threatening methemoglobinemia in infants with diarrhea and acidosis. *Clin Pediatr* 33 pp. 370–3. Retrieved from
<http://cpj.sagepub.com/content/33/6/370.extract>

Gulis, G., Czompolyova, M., & Cerhan, J. R. (2002). An ecologic study of nitrate in municipal drinking water and cancer incidence in Trnava District, Slovakia. *Environmental research*, 88(3), 182-187. Retrieved from

https://www.researchgate.net/publication/11321531_An_Ecologic_Study_of_Nitrate_in_Municipal_Drinking_Water_and_Cancer_Incidence_in_Trnava_District_Slovakia

Gupta, S.K., Gupta, R.C., Seth, A.K., Gupta, A.B., Bassin, J.K. & Gupta, A. (1999) Adaptation of cytochrome-b5 reductase activity and methaemoglobinaemia in areas with a high nitrate concentration in drinking-water. *Bull. World Health Organ* 77(9) pp. 749-753. Retrieved from
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2557725/pdf/10534899.pdf>

Gupta, S. K., Gupta, R. C., Seth, A. K., Gupta, A. B., Bassin, J. K., Gupta, D. K., & Sharma, S. (1999). Epidemiological evaluation of recurrent stomatitis, nitrates in drinking water, and cytochrome b5 reductase activity1. *The American journal of gastroenterology*, 94(7), 1808-1812. Available at
<https://www.sciencedirect.com/science/article/pii/S0002927099001884>

Gupta, S.K., Gupta, R.C., Gupta, A.B., Seth, A.K., Bassin, J.K., Gupta, A. (2000) Recurrent acute respiratory tract infections in areas with high nitrate concentrations in drinking water. *Environ. Health Perspect.* 108(4) pp. 363-366. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1638033/>

Gupta SK, Gupta RC, Seth AK, Gupta AB, Bassin JK, Gupta A. (2000) Methaemoglobinemia in areas with high nitrate concentration in drinking water. *Natl Med J India* 12(2) pp. 58-61 Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10835850>

Gupta, S.K., Gupta, R.C., Gupta, A.B., Seth, A.K., Bassin, J.K., Gupta, A. & Sharma, M.L. (2001) Recurrent diarrhea in children living in areas with high levels of nitrate in drinking water. *Arch of Environ Health* 56(4) pp. 369 – 373. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11572282>

Hanukoglu A, Danon PN. (1996) Endogenous methemoglobinemia associated with diarrheal disease in infancy. *J Pediatr Gastroenterol Nutr.* 23 pp. 1–7. Retrieved from http://journals.lww.com/jpgn/Abstract/1996/07000/Endogenous_Methemoglobinemia_Associated_with.1.aspx

Harris J.C., Rumack B.H., Peterson R.G., McGuire B.M. (1979) Methemoglobinemia resulting from absorption of nitrates. *JAMA* 242(26) pp. 2869–71. Retrieved from <http://jama.jamanetwork.com/article.aspx?articleid=368092>

Hegesh E, Shiloah J. (1982) Blood nitrates and infantile methemoglobinemia. *Clin Chim Acta.* 125 pp. 107–115. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7139953>

Howe, G.R., Burch, D., Chiarelli, A.M., Risch, H.A. & Choi, B.C.K. (1989) An exploratory case-control study of brain tumors in children. *Cancer Res.* 49(15) pp. 4349-4352. Retrieved from <http://cancerres.aacrjournals.org/content/49/15/4349.long>

Infante-Rivard, C., Olson, E., & Ayotte, J.L. (2001) Drinking water contaminants and childhood leukemia. *Epidemiology* 12(1) pp. 13-19. <http://www.ncbi.nlm.nih.gov/pubmed/11138808>

Jensen, O. M. (1982). Nitrate in drinking water and cancer in northern Jutland, Denmark, with special reference to stomach cancer. *Ecotoxicology and environmental safety*, 6(3), 258-267. Retrieved from <https://www.sciencedirect.com/science/article/pii/0147651382900161>

Johnson C.J., Kross B.C. (1990) Continuing importance of nitrate contamination of groundwater and wells in rural areas. *American Journal of Industrial Medicine* 18(4) pp. 449–56. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700180416/abstract>

Jones, J.H., Sethney, H.T., Schoenhals, G.W., Grantham, R.N. & Riley, H.D. (1973) Grandmother's poisoned well: report of a case of methemoglobinemia in an infant in Oklahoma. *J.Okla.State Med.Assoc.* 66(2) pp. 60-66. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/4688467>

Jones, R. R., Weyer, P. J., Dellavalle, C. T., Inoue-Choi, M., Anderson, K. E., Cantor, K. P., ... & Ward, M. H. (2016). Nitrate from drinking water and diet and bladder cancer among postmenopausal women in Iowa. *Environmental health perspectives*, 124(11), 1751. Retrieved from <https://ehp.niehs.nih.gov/wp-content/uploads/124/11/EHP191.alt.pdf>

Kean-Cowdin, R., Pogoda, J.M., Lijinsky, W., Holly, E.A., Mueller, B.A. & Preston-Martin, S. (2003) Maternal prenatal exposure to nitrosatable drugs and childhood brain tumours. *International Journal of Epidemiology* 32(2) pp. 211-217. <http://www.ncbi.nlm.nih.gov/pubmed/12714539> and <http://ije.oxfordjournals.org/content/32/2/211.long>

Keating JP, Lell ME, Strauss AW, Zarkowsky H, Smith GE. (1973) Infantile methemoglobinemia caused by carrot juice. *N Engl J Med* 288(16) pp. 824–6. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/4693932>

Knobeloch L., Salna B., Hogan A., Postle J., Anderson H. (2000) Blue babies and nitrate-contaminated well water. *Environ Health Perspect* 108(7) Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1638204/pdf/envhper00308-0137.pdf>

Knobeloch, L., and M. Proctor (2001) Eight blue babies. *WMJ.* 100(8) pp. 43-47. http://www.wisconsinmedicalsociety.org/WMS/publications/wmj/issues/wmj_v100n8/100-8-SA-Knobeloch.pdf

Kross B.C., Ayebo A.D., Fourtes L.J. (1992) Methemoglobinemia: nitrate toxicity in rural America. *American Family Physician* 46 pp. 183–88 retrieved from <http://ukpmc.ac.uk/abstract/MED/1621630>

Kuijten, R.R., Bunin, G.R., Nass, C.C. & Meadows, A.T. (1990) Gestational and familial risk factors for childhood astrocytoma: results of a case-control study. *Cancer Res.* 50(9) pp. 2608-2612. <http://www.ncbi.nlm.nih.gov/pubmed/2328486> and <http://cancerres.aacrjournals.org/content/50/9/2608.long>

Kumar, M., & Puri, A. (2012). A review of permissible limits of drinking water. *Indian journal of occupational and environmental medicine*, 16(1), 40. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3482709/>

Kuo, H. W., Wu, T. N., & Yang, C. Y. (2007). Nitrates in drinking water and risk of death from rectal cancer in Taiwan. *Journal of Toxicology and Environmental Health, Part A*, 70(20), 1717-1722. Retrieved from

<https://www.tandfonline.com/doi/abs/10.1080/15287390701457704>

Laitinen, S., Virtanen, S.M., Rasanen, L. & Penttila, P.L. (1993) Calculated dietary intakes of nitrate and nitrite by young Finns? *Food Addit. Contam* 10(4) pp. 469-477.

<http://www.ncbi.nlm.nih.gov/pubmed/8405586>

Law, G., Parslow, R., McKinney, P., & Cartwright, R. (1999) Non-Hodgkin's lymphoma and nitrate in drinking water: a study in Yorkshire, United Kingdom. *Journal of Epidemiological Community Health* 53(6) pp. 383-384.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1756892/pdf/v053p00383.pdf>

Lebby T., Roco J.J., Arcinue E.L. (1993) Infantile methemoglobinemia associated with acute diarrheal illness. *American Journal of Emergency Medicine* 11 pp. 471–2. Retrieved from

<http://www.sciencedirect.com/science/article/pii/073567579390086Q>

Loomis, J., Bell, P., Cooney, H., & Asmus, C. (2009). A comparison of actual and hypothetical willingness to pay of parents and non-parents for protecting infant health: the case of nitrates in drinking water. *Journal of Agricultural and Applied Economics*, 41(3), 697-712. Retrieved from

https://www.researchgate.net/profile/John_Loomis3/publication/46534234_A_Comparison_of_Actual_and_Hypothetical_Willingness_to_Pay_of_Parents_and_Non-Parents_for_Protecting_Infant_Health_The_Case_of_Nitrates_in_Drinking_Water/links/552d171f0cf2e089a3ad2de6.pdf

Lundberg J.O., Weitzberg E., Cole J.A., Benjamin N. (2004) Nitrate, bacteria and human health. *Nat Rev Microbiol* 2(7) pp. 593–602 Retrieved from

<http://www.nature.com/nrmicro/journal/v2/n7/full/nrmicro929.html>

Manassaram, D.M., Backer, L.C. & Moll, D.M. (2006) A Review of Nitrates in Drinking water: Maternal Exposure and Adverse Reproductive and Developmental Outcomes. *Environ Health Perspect.* 2006 March; 114(3): 320–327.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1392223/>

Mansouri A., Lurie A.A. (1993) Concise review: Methemoglobinemia. *American Journal of Hematology* 42 pp. 7–12. <http://www.ncbi.nlm.nih.gov/pubmed/8416301>

McCredie, M., Maisonneuve, P. & Boyle, P. (1994) Antenatal risk factors for malignant brain tumours in New South Wales children. *Int.J.Cancer* 56(1) pp. 6-10. Retrieved from

<http://www.ncbi.nlm.nih.gov/pubmed/8262678>

McKnight G.M., Duncan C.W., Leifert C., Golden M.H. (1999) Dietary nitrate in man: Friend or foe? *British Journal of Nutrition* 81(5) pp. 349–58. Retrieved from http://journals.cambridge.org/download.php?file=%2F16032_A63A7D5ABC20BC7365F40DBF4A377C7F_journals_BJN_BJN81_05_S000711459900063Xa.pdf&cover=Y&code=940bf72a94083432b5d589f01343f27cbf

Mensinga T.T., Speijers G.J.A., Meulenbelt J. (2003) Health implications of exposure to environmental nitrogenous compounds. *Toxicol Rev* 22(1) pp. 41–51. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/14579546> and http://adisonline.com/toxicology/Abstract/2003/22010/Health_Implications_of_Exposure_to_Environmental.5.aspx

Moller, H. (1997) Work in agriculture, childhood residence, nitrate exposure, and testicular cancer risk: a case-control study in Denmark. *Cancer Epidemiol. Biomarkers Prev.* 6(2) pp. 141-144. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9037566>

Moltchanova, E., Rytönen, M., Kousa, A., Taskinen, O., Tuomilehto, J., & Karvonen, M. (2004) Zinc and nitrate in the ground water and the incidence of Type 1 diabetes in Finland. *Diabet. Med.* 21(3) pp. 256-261. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15008836>

Morales-Suarez-Varela, M. M., Llopis-Gonzalez, A., & Tejerizo-Perez, M. L. (1995). Impact of nitrates in drinking water on cancer mortality in Valencia, Spain. *European journal of epidemiology*, 11(1), 15-21. Retrieved from https://www.researchgate.net/profile/Maria_Morales-Suarez-Varela/publication/226070795_Impact_of_nitrates_in_drinking_water_on_cancer_mortality_in_Valencia_Spain/links/0fcfd50cb503af3128000000.pdf

Morris, R. D. (1995). Drinking water and cancer. *Environmental health perspectives*, 103(Suppl 8), 225. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1518976/pdf/envhper00368-0223.pdf>

Mueller, B.A., Newton, K., Holly, E.A. & Preston-Martin, S. (2001) Residential water source and the risk of childhood brain tumors. *Environmental Health Perspectives* 109(6) pp. 551-556. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1240334/pdf/ehp0109-000551.pdf>

Mueller, B.A., Searles Nielsen, S., Preston-Martin, S. Holly, E.A., Cordier, S., Filippinin, G., Peris-Bonet, R., Choi, N.W. (2004) Household water source and the risk of childhood brain tumours: results of the SEARCH International Brain Tumor Study. *Int.J.Epidemiol.* 33(6):1209-1216. <http://www.ncbi.nlm.nih.gov/pubmed/15567873> and <http://ije.oxfordjournals.org/content/33/6/1209.long>

National Research Council, Committee on Toxicology. (1995) Nitrate and nitrite in drinking water. Washington, DC: National Academies Press

Nolan, B. T., & Hitt, K. J. (2006). Vulnerability of shallow groundwater and drinking-water wells to nitrate in the United States. *Environmental science & technology*, 40(24), 7834-7840. Retrieved from <https://pdfs.semanticscholar.org/9499/0f272fea508adcd5f21766d2fbe01a30178c.pdf>

Nolan BT, Hitt KJ, Ruddy BC. (2002) Probability of nitrate contamination of recently recharged ground waters in the conterminous United States. U.S.G.S. Environ Sci Technol 36(10) pp. 2138–45. http://water.usgs.gov/nawqa/nutrients/pubs/est_v36_no10/ and http://water.usgs.gov/nawqa/nutrients/pubs/est_v36_no10/est_v36_no10.pdf

Odorog, C. M. (2016). Nitrates and drinking water. *Scientific Papers-Series A, Agronomy*, 59, 122-126. Retrieved from <http://agronomyjournal.usamv.ro/pdf/2016/Art20.pdf>

Pacific Groundwater Group (2011) Request for identification Lower Yakima Valley Groundwater Management Area. WA State Department of Ecology. Retrieved from www.yakimacounty.us/NitrateProgram/English/Docs/Lower%20Yakima%20GWMA%20Request%20For%20Identification%20FINAL.pdf

Parslow R.C., McKinney P.A., Law G.R., Staines A., Williams R., Bodansky H.J. (1997) Incidence of childhood diabetes mellitus in Yorkshire, northern England, is associated with nitrate in drinking water: an ecological analysis. *Diabetologia* 40(5) pp. 550–6. Retrieved from <http://www.springerlink.com/content/7d21fcmtmgjj54pt/> and <http://www.springerlink.com/content/7d21fcmtmgjj54pt/fulltext.pdf>

Pogoda, J.M., and Preston-Martin, S. (2001) Maternal cured meat consumption during pregnancy and risk of paediatric brain tumour in offspring: potentially harmful levels of intake. *Public Health Nutr.* 4(2) pp. 183-189. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11299090>

Pollack, E.S. & Pollack, C.V. (1994) Incidence of subclinical methemoglobinemia in infants with diarrhea. *Annals of Emergency Medicine*. <http://www.ncbi.nlm.nih.gov/pubmed/8092592>

Preston-Martin, S., Yu, M.C., Benton, B., & Henderson, B.E. (1982) N-Nitroso compounds and childhood brain tumors: a case-control study. *Cancer Res.* 42(12) pp. 5240-5245. Retrieved from <http://cancerres.aacrjournals.org/content/42/12/5240.abstract>

Preston-Martin, S., Pogoda, J.M., Mueller, B.A., Holly, E.A., Lijinsky, W. & Davis, R.L. (1996) Maternal consumption of cured meats and vitamins in relation to pediatric brain tumors. *Cancer*

Epidemiol. Biomarkers Prev. 5(8) pp. 599-605. Retrieved from
<http://cebp.aacrjournals.org/content/5/8/599.long>

Reinik, M., Tamme, T., Roasto, M., Juhkam, K., Jurstenko, S., Tenno, T. & Kiis, A. (2005) Nitrites, nitrates and N-nitrosoamines in Estonian cured meat products: intake by Estonian children and adolescents. *Food Addit. Contam* 22(11) pp. 1098-1105.
<http://www.ncbi.nlm.nih.gov/pubmed/16332632>

Reynolds K.A. (2002) The prevalence of nitrate contamination in the United States. *Water Conditioning and Purification* 44(1). Retrieved from
<http://www.wcponline.com/ArchiveNewsView.cfm?pkArticleID=1330&AT=T>

Sadeq, M., Moe, C.L., Attarassi, B., Cherkaouil, L., Elauad, R., & Idrissi, L. (2008) Drinking water nitrate and prevalence of methemoglobinemia among infants and children ages 1-7 years in Moroccan areas. *International Journal of Environmental Health*
<http://www.ncbi.nlm.nih.gov/pubmed/18155958>

Saito T., Takeichi S., Osawa M., Yukawa N., Huang X.L. (2000) A case of fatal methemoglobinemia of unknown origin but presumably due to ingestion of nitrate. *International Journal of Legal Med* 113(3) pp. 164-7. Retrieved from
<http://www.springerlink.com/content/34bef18dg6v6p9rr/>

Sanchez J., Benito-Fernandez J., Mintegui-Raso S. (2001) Methemoglobinemia and consumption of vegetables in infants. *Pediatrics* 107(5) pp. 1024-8. Retrieved from
<http://pediatrics.aappublications.org/content/107/5/1024.abstract> and
http://content.ebscohost.com/pdf13_15/pdf/2001/PDT/01May01/4441433.pdf?T=P&P=AN&K=4441433&S=R&D=aph&EbscoContent=dGJyMNLr40SeprY4y9f3OLCmr0qeqLBSs6a4TLKWxWXS&ContentCustomer=dGJyMPGssk2xqLJNuePfgex44Hy

Sandor, J., Kiss, I., Farkas, O., & Ember, I. (2001). Association between gastric cancer mortality and nitrate content of drinking water: ecological study on small area inequalities. *European journal of epidemiology*, 17(5), 443-447. Retrieved from
https://www.researchgate.net/publication/226891543_Association_between_gastric_cancer_mortality_and_nitrate_content_of_drinking_water_Ecological_study_on_small_area_inequalities

Sarasua, S., and Savitz, D.A. (1994) Cured and broiled meat consumption in relation to childhood cancer: Denver, Colorado (United States) *Cancer Causes Control* 5(2) pp. 141-148.
<http://www.ncbi.nlm.nih.gov/pubmed/8167261>

Savino, F., Maccario, S., Guido, C., Castagno, E., Farinasso, D., Cresi, F., Silvestro, L., & Mussa, G.C. (2006) Methemoglobinemia caused by the ingestion of courgette soup given in

order to resolve constipation in two formula-fed infants. *Ann Nutr.Metab* 50(4) pp. 368-371.
<http://www.ncbi.nlm.nih.gov/pubmed/16809905>

Schmitz J.T. (1961) Methemoglobinemia—a cause of abortions? Preliminary report. *Obstet Gynecol.* 17 pp. 413–415. Retrieved from
http://journals.lww.com/greenjournal/Citation/1961/04000/Methemoglobinemia_A_Cause_of_A_bortions_.2.aspx

Scragg RK, Dorsch MM, McMichael AJ, Baghurst PA. (1982) Birth defects and household water supply. Epidemiological studies in the Mount Gambier region of South Australia. *Med J Aust.* 2 pp. 577–579. <http://www.ncbi.nlm.nih.gov/pubmed/7162445>

Shearer L.A., Goldsmith J.R., Young C., Kearns O.A., Tamplin B.R. (1972) Methemoglobin levels in infants in an area with high nitrate water supply. *American Journal of Public Health* 62(9) pp. 1174–80. Retrieved from
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1530503/pdf/amjph00731-0006.pdf>

Shuval H.I., Gruener N. (1992) Epidemiological and toxicological aspects of nitrates and nitrites in the environment. *American Journal of Public Health* 62(8):1045–52.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1530374/pdf/amjph00730-0007.pdf>

Spalding, R. F., & Exner, M. E. (1993). Occurrence of nitrate in groundwater—a review. *Journal of environmental quality*, 22(3), 392-402. Retrieved from
<https://nature.berkeley.edu/classes/espm-120/Website/Spalding1993.pdf>

Super, M., Heese, H. D. V., MacKenzie, D., Dempster, W. S., Du Plessis, J., & Ferreira, J. J. (1981). An epidemiological study of well-water nitrates in a group of South West African/Namibian infants. *Water Research*, 15(11), 1265-1270. Retrieved from
<http://www.sciencedirect.com/science/article/pii/0043135481901032>

Tabacova S., Balabaeva L., Little R.E. (1997) Maternal exposure to exogenous nitrogen compounds and complications of pregnancy. *Arch Environ Health* 52(5) pp. 341–7. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9546756>

Tajtakova, M., Semanova, Z., Tomkova, Z., Szokeova, E., Majoros, J., Radikova, Z., Sebokova, E. Klines, I, & Langer, P. (2006) Increased thyroid volume and frequency of thyroid disorders signs in schoolchildren from nitrate polluted area. *Chemosphere* 62(4) pp. 559-564. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16095667>

Tamme, T., Reinik, M., Roasto, M., Juhkam, K., Tenno, T., & Kiis, A. (2006) Nitrates and nitrites in vegetables and vegetable-based products and their intakes by the Estonian population. *Food Addit.Contam* 23(4) pp. 355-361.

http://peer.ccsd.cnrs.fr/docs/00/57/75/75/PDF/PEER_stage2_10.1080%252F02652030500482363.pdf

Terblanche, A. P. S. (1991). Health hazards of nitrate in drinking water. *Water S. A.*, 17(1), 77-82. Retrieved from http://www.wrc.org.za/Knowledge%20Hub%20Documents/Water%20SA%20Journals/Manuscripts/1991/WaterSA_1991_17_0612.PDF

Thorpe, N., and Shirmohammadi, A. (2005) Herbicides and nitrates in groundwater of Maryland and childhood cancers: a geographic information systems approach. *J Environ Sci Health C. Environ Carcinog. Ecotoxicol. Rev.* 23(2) pp. 261-278. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16291529>

Tirado, R. (2007). Nitrates in drinking water in the Philippines and Thailand. *Greenpeace Research Laboratories Technical Note*, 11, 2007. Retrieved from http://www.greenpeace.to/publications/Nitrates_Philippines_Thailand.pdf

Tricker A.R., Preussmann R. (1991) Carcinogenic *N*-nitrosamines in the diet: occurrence, formation, mechanisms and carcinogenic potential. *Mutat Res* 259 pp. 277–89. Retrieved from <http://www.sciencedirect.com/science/article/pii/0165121891901234> and <http://www.ncbi.nlm.nih.gov/pubmed/2017213>

Tsezou, A., Kitsiou-Tzeli, S., Galla, A., Gourgiotis, D., Papageorgiou, J., Mitrou, S., Molybdas, P. A., Sinaniotis, C. (1996) High nitrate content in drinking water: cytogenetic effects in exposed children. *Arch. Environ. Health* 51(6) pp. 458-461. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9012325>

U.S. Department of Agriculture: Food Safety and Inspection Service. (2001) Fact Sheets: Food Labeling - Additives in Meat and Poultry Products. Retrieved from http://www.fsis.usda.gov/Fact_Sheets/Additives_in_Meat_&_Poultry_Products/index.asp

U.S. Environmental Protection Agency. (2006) 2006 Edition of the Drinking Water Standards and Health Advisories. Retrieved from <http://www.epa.gov/waterscience/criteria/drinking/dwstandards.pdf>

U.S. Environmental Protection Agency (2006) Drinking Water Contaminants. Retrieved from <http://www.epa.gov/safewater/contaminants/index.html>

U.S. Environmental Protection Agency. (2005) Priority List of Hazardous Substances for the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Section 104(i). Retrieved from <http://www.atsdr.cdc.gov/cercla/>

US Environmental Protection Agency. Consumer factsheet on: nitrates/nitrites. Washington, DC: US Environmental Protection Agency; 2004. Available from URL:

<http://www.epa.gov/safewater/dwh/c-ioc/nitr>

US Environmental Protection Agency. Integrated Risk Information System (IRIS) database. Nitrate (CASRN 14797-55-8). Washington, DC: US Environmental Protection Agency. 2002. Available at URL: <http://www.epa.gov/iris>

U.S. Environmental Protection Agency. 2007. *Nitrates and Nitrites TEACH Chemical Summary*. Retrieved from http://www.epa.gov/teach/chem_summ/Nitrates_summary.pdf

U.S. Environmental Protection Agency (2012) Preliminary data Lower Yakima Valley well testing. Retrieved from ftp://ftp.epa.gov/reg10ftp/sites/yakima/groundwater_data/

U.S. Food and Drug Administration. (1998) A Fresh Look at Food Preservatives. Retrieved from <http://www.cfsan.fda.gov/~dms/fdpreser.html>

US Geological Survey. (1999) The quality of our nation's waters: nutrients and pesticides. Circular 1225. Reston, VA: US Department of the Interior. Retrieved from <http://pubs.usgs.gov/circ/circ1225/>

VanDerslice, J. (2009). Final Report: Dose-Response of Nitrate and Other Methemoglobin Inducers on Methemoglobin Levels of Infants. National Center for Environmental Research WA State Department of Health. Olympia, WA. Retrieved from http://cfpub.epa.gov/ncer_abstracts/index.cfm/fuseaction/display.abstractDetail/abstract/5379/report/F

Van Grinsven, H. J., Ward, M. H., Benjamin, N., & De Kok, T. M. (2006). Does the evidence about health risks associated with nitrate ingestion warrant an increase of the nitrate standard for drinking water?. *Environmental Health*, 5(1), 26. Retrieved from <https://ehjournal.biomedcentral.com/articles/10.1186/1476-069X-5-26>

Van Grinsven, H. J., Rabl, A., & de Kok, T. M. (2010). Estimation of incidence and social cost of colon cancer due to nitrate in drinking water in the EU: a tentative cost-benefit assessment. *Environmental health*, 9(1), 58. Retrieved from <https://ehjournal.biomedcentral.com/articles/10.1186/1476-069X-9-58>

Van Leeuwen, J. A., Waltner-Toews, D., Abernathy, T., Smit, B., & Shoukri, M. (1999). Associations between stomach cancer incidence and drinking water contamination with atrazine and nitrate in Ontario (Canada) agroecosystems, 1987-1991. *International Journal of Epidemiology*, 28(5), 836-840. Retrieved from https://oup.silverchair-cdn.com/oup/backfile/Content_public/Journal/ije/28/5/10.1093_ije_28.5.836/1/280836.pdf?Expires=1496077591&Signature=eJKIkjMC7~pHHeXuySz6qz6lisEhLYcisyAgnbw5rBzlcj4WIXucDd8zM9nF1REGBKq54N~-

[RG~OVN0~UFawShZMbJgkZji64HtsX~yzISDdNZqhXv6cevgsgIrHWffbRJ8dlRp8YS8FmiXlVTlxT7RaD62Az5FISZKUGILgszWLSK13W18Pg3FewdgMxw0S6CfRzKH2I5fIq5RdLrfGpDdVy5UG7TUwhV5bYTVH6t0p1xHEBhD2CTqx462wGSFVqOh~C6KAgc-s5ei6xqfr~kJkb8bmuhb4gQ54mvCb52oQbH3nNSVNjHnCsdOcbU0mfM6FjLHFISf1zWaNQjnA_&Key-Pair-Id=APKAIUCZBIA4LVPAVW3Q](http://www.ncbi.nlm.nih.gov/pubmed/18057688)

Van Loon A.J., Botterweck A.A., Goldbohm R.A., Brants H.A., van Klaveren J.D., van den Brandt P.A. (1998) Intake of nitrate and nitrite and the risk of gastric cancer: a prospective cohort study. *British Journal of Cancer* 78 pp. 129–35. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2062934/pdf/brjancer00001-0133.pdf>

Van Maanen, J. M., Welle, I. J., Hageman, G., Dallinga, J. W., Mertens, P. L., & Kleinjans, J. C. (1996). Nitrate contamination of drinking water: relationship with HPRT variant frequency in lymphocyte DNA and urinary excretion of N-nitrosamines. *Environmental Health Perspectives*, 104(5), 522. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1469364/pdf/envhper00336-0070.pdf>

van Maanen, J.M., Albering, H.J., de Kok, T.M., van Breda, S.G., Curfs, D.M., Vermeer, I. T., Ambergen, A.W., Wolffenbuttel, B.H., Klenjans, J.C. & Reeser, H.M. (2000) Does the risk of childhood diabetes mellitus require revision of the guideline values for nitrate in drinking water? *Environ.Health Perspect.* 108(5) pp. 457-461. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1638059/>

van Maanen, J. M., van Dijk, A., Mulder, K., de Baets, M. H., Menheere, P. C., van der Heide, D., ... & Kleinjans, J. C. (1994). Consumption of drinking water with high nitrate levels causes hypertrophy of the thyroid. *Toxicology letters*, 72(1-3), 365-374. Retrieved from https://www.researchgate.net/publication/14996221_Consumption_of_drinking_water_with_high_nitrate_levels_causes_hypertrophy_of_the_thyroid

Venkateswari R, Ganesh R, Deenadayalan M, Mahender E, Ramachandran B, Janakiraman (2007) Transient Methemoglobinemia in an infant. *Indian Journal of pediatrics* 74(11). Pp. 1037-1038. Retrieved form <http://www.ncbi.nlm.nih.gov/pubmed/18057688>

Virtanen, S.M., Jaakkola, L., Rasanen, L., Ylonen, K., Aro, A., Lounamaa, R., Akerblom, H.K., & Tuomilehto, J. (1994) Nitrate and nitrite intake and the risk for type 1 diabetes in Finnish children. Childhood Diabetes in Finland Study Group. *Diabet.Med.* 11(7) pp. 656-662. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7955990>

Volkmer, B.G., Ernst, B., Simon, J., Kuefer, R., Bartsch, G., Bach, D., & Gschwend, J.E. (2005) Influence of nitrate levels in drinking water on urological malignancies: a community-based cohort study. *BJU.Int* 95(7) pp. 972-976. <http://www.ncbi.nlm.nih.gov/pubmed/15839916>

Walton G. (1951) Survey of literature relating to infant methemoglobinemia due to nitrate-contaminated water. *Am J Public Health*. 41 pp. 986–996. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1525621/pdf/amjphnation00426-0083.pdf>

Ward M.H., Mark S.D., Cantor K.P., Weisenburger D.D., Correa-Villasenor A., Zahm S.H. (1996) Drinking water nitrate and the risk of non-Hodgkin's lymphoma. *Epidemiology*7(5) pp. 465–71. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8862975>

Ward M.H., deKok T.M., Levallois P., Brender J., Gulis G., Nolan B.T., VanDerslice J. (2005) Workgroup report: Drinking-water nitrate and health - - recent findings and research needs. *Environ Health Perspect* 113(11) pp. 1607-1614. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16263519> and <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1310926/pdf/ehp0113-001607.pdf>

Ward, M. H., Cantor, K. P., Cerhan, J., Lynch, C. F., & Hartge, P. (2004). Nitrate in public water supplies and risk of cancer: Results from recent studies in the midwestern United States. *Epidemiology*, 15(4), S214. Retrieved from http://journals.lww.com/epidem/Citation/2004/07000/Nitrate_in_Public_Water_Supplies_and_Risk_of.568.aspx

Ward, M. H., Heineman, E. F., Markin, R. S., & Weisenburger, D. D. (2008). Adenocarcinoma of the stomach and esophagus and drinking water and dietary sources of nitrate and nitrite. *International journal of occupational and environmental health*, 14(3), 193-197. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2797489/>

Ward, L.B. Yakima Herald Republic. (2009) “Hidden Wells, Dirty Water” <http://www.yakima-herald.com/stories/2008/10/11/hidden-wells-dirty-water>

Washington State Dept. of Ecology (2010) *Lower Yakima Valley groundwater quality: preliminary assessment and recommendations document*. Retrieved from <https://fortress.wa.gov/ecy/publications/publications/1010009.pdf>

WA State Dept. of Health (2010) Nitrate in Drinking Water – Questions and Answers (English) Retrieved from <http://www.doh.wa.gov/ehp/dw/Publications/331-214.pdf>

WA State Dept. of Health (2010) Nitrate in Drinking Water – Questions and Answers (Spanish) Retrieved from <http://www.doh.wa.gov/ehp/dw/Publications/331-214s.pdf>

Wei-Hua, J., Qing-Hua, P., Hai-De, Q., Ya-Fei, X., Guo-Ping, S., Lina, C., Li-Zhen, C., Qi-Sheng, F., Ming-Huang, H., Yi-Xin, A., & Yin Yao, S. (2000) Dietary exposure to nitrite and nitrosamines and risk of nasopharyngeal carcinoma in Taiwan. *International Journal of Cancer* 86(5) pp. 603-609. <http://carcin.oxfordjournals.org/content/30/12/2031.full>

Weyer, P. J., Cerhan, J. R., Kross, B. C., Hallberg, G. R., Kantamneni, J., Breuer, G., ... & Lynch, C. F. (2001). Municipal drinking water nitrate level and cancer risk in older women: the Iowa Women's Health Study. *Epidemiology*, 12(3), 327-338. Retrieved from http://s3.amazonaws.com/academia.edu.documents/42632538/Municipal_Drinking_Water_Nitrate_Level_a20160212-31872-gownru.pdf?AWSAccessKeyId=AKIAIWOWYYGZ2Y53UL3A&Expires=1497141341&Signature=2YyjqoK44lfKWXwMm3ycZObtXrU%3D&response-content-disposition=inline%3B%20filename%3DMunicipal_Drinking_Water_Nitrate_Level_a.pdf

Wiklund, G.M., Aastrup, L., Pousette, M., Thunholm, J., Saldeen, B., Wernroth, T., Zaren, & Holmberg, L. (2001) Incidence and geographical distribution of sudden infant death syndrome in relation to content of nitrate in drinking water and groundwater levels. *Eur.J.Clin.Invest* 31(12) pp. 1083-1094. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11903496>

World Health Organization. (2003). Nitrate and nitrite in drinking-water: background document for development of WHO guidelines for drinking-water quality. Retrieved from http://apps.who.int/iris/bitstream/handle/10665/75380/WHO_SDE_WSH_04.03_56_eng.pdf?sequence=1

World Health Organization. (2006) International Program on Chemical Safety, Environmental Health Criteria 5: Nitrates, Nitrites, and N-Nitroso Compounds. Retrieved from <http://www.inchem.org/documents/pims/chemical/pimg016.htm>

World Health Organization. (2008). *Guidelines for drinking-water quality: second addendum. Vol. 1, Recommendations*. World Health Organization. Retrieved from http://www.who.int/water_sanitation_health/dwq/secondaddendum20081119.pdf

World Health Organization. (2010). *Drinking water quality in the South-East Asia region* (No. SEA-EH-567). WHO Regional Office for South-East Asia. Retrieved from <http://apps.who.int/iris/bitstream/handle/10665/204999/B4470.pdf?sequence=1&isAllowed=y>

Wright R.O., Woolf A.D., Shannon M.W., Magnani B. (1998) *N*-acetylcysteine reduces methemoglobin in an in-vitro model of glucose-6-phosphate dehydrogenase deficiency. *Acad Emerg Med* 5(3) pp. 225–9. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1553-2712.1998.tb02617.x/abstract> and <http://www.ncbi.nlm.nih.gov/pubmed/9523930>

Wright R.O., Lewander W.J., Woolf A.D. (1999) Methemoglobinemia: etiology, pharmacology, and clinical management. *Annals of Emergency Medicine* 34(5) pp. 646–56. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10533013>

Xu G, Song P, Reed P.I. (1992) The relationship between gastric mucosal changes and nitrate intake via drinking water in a high-risk population for gastric cancer in Moping County, China. *Eur J Cancer Prev* 1992; 1(6):437–43.

http://journals.lww.com/eurjcancerprev/Abstract/1992/10000/The_relationship_between_gastric_mucosal_changes.7.aspx

Yakima County (2011) Nitrate Treatment Pilot Program – Final Report. Retrieved from <http://www.yakimacounty.us/nitrateprogram/english/Docs/Nitrate%20Treatment%20Pilot%20Program.pdf>

Yang, C. Y., Cheng, M. F., Tsai, S. S., & Hsieh, Y. L. (1998). Calcium, magnesium, and nitrate in drinking water and gastric cancer mortality. *Cancer Science*, 89(2), 124-130. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.1998.tb00539.x/pdf>

Yang, C. Y., Wu, D. C., & Chang, C. C. (2007). Nitrate in drinking water and risk of death from colon cancer in Taiwan. *Environment international*, 33(5), 649-653. Retrieved from <https://pdfs.semanticscholar.org/855d/857eea83aad377b815d3aff72cca3e8eedde.pdf>

Zeman C.L., Kross B., Vlad M. (2002) A nested case-control study of methemoglobinemia risk factors in children of Transylvania, Romania. *Environmental Health Perspectives* 110(8) pp. 817–22. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1240955/pdf/ehp0110-000817.pdf>

Zeman, C.L., Vlad, C.L., & Kross, B. (2002) Exposure methodology and findings for dietary nitrate exposures in children of Transylvania, Romania. *J.Expo.Anal.Environ.Epidemiol.* 12(1) pp. 54-63. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11859433>

Compiled by Jean Mendoza

Last Updated July 16, 2018